

Annexure- A

TECHNICAL SPECIFICATIONS

Identification: BHAGIRATHI PANEER 2KG SIDE GUSSET POUCH					
Product Form: POUCH FORM					
Structure:12μ PET Corona Treated + 90μ White Opaque Polyethylene					
Measurement & functionality					
SL.No.	Measurements	Standard	Tolerance	Test Method	Actual
1	POUCH WIDTH	200MM	± 2	VPPL/TM/GSM/01	200MM
2	POUCH HEIGHT	320MM	± 2	BYCALIBRATED SCALE	320MM
3	GUSSET TYPE	SIDE			SIDE
4	GUSSET WIDTH	100MM	± 1	BYCALIBRATED SCALE	100MM
5	POUCH TYPE	CENTER SEAL & SIDE GUSSET	Min		CENTER SEAL & SIDE GUSSET
6	GSM	104	$\pm 5\%$		104
7	CENTERSEAL WIDTH	15MM	± 1		15MM
8	PRINTING	Multicolour as per design approved by MU			

Identification: BHAGIRATHI PANEER 1KG SIDE GUSSET POUCH			
Product Form: POUCH FORM			
Structure: 12μ PET Corona Treated + 90μ White Opaque Polyethylene			
Measurement&functionality			
SL. No.	Measurements	Standard	Tolerance
1	POUCHWIDTH	190MM	± 2
2	POUCHHEIGHT	280MM	± 2
3	GUSSETTYPE	SIDE	
4	GUSSETWIDTH	60MM	± 1
5	POUCHTYPE	CENTER SEAL & SIDE GUSSET	Min
6	GSM	104	$\pm 5\%$
7	CENTERSEALWIDTH	15MM	± 1
8	PRINTING	Multi colour as per design approved by MU	

Identification: BHAGIRATHI PANEER 500 gm Pouch			
Product Form: POUCH FORM			
Structure: 12µ PET Corona Treated + 80µ White Opaque Polyethylene			
Measurement & functionality			
SL. No.	Measurements	Standard	Tolerance
1	POUCHWIDTH	180MM	± 2
2	POUCHHEIGHT	260MM	± 2
3	THICKNESS (MICRON)	92 µm	±2
4	GSM	90	±2
5	SEALING	3 side sealing of width 10 mm (minimum)	
6	PRINTING	Multi colour as per design approved by MU	

Identification: BHAGIRATHI PANEER 200 gm Pouch			
Product Form: POUCH FORM			
Structure: 12µ PET Corona Treated + 80µ White Opaque Polyethylene			
Measurement & functionality			
SL. No.	Measurements	Standard	Tolerance
1	POUCHWIDTH	140MM	± 2
2	POUCHHEIGHT	190MM	± 2
3	THICKNESS (MICRON)	92 µm	±2
4	GSM	90	±2
5	SEALING	3 side sealing of width 10 mm (minimum)	
6	PRINTING	Multi colour as per design approved by MU	

Identification: BHAGIRATHI PANEER 100 gm Pouch			
Product Form: POUCH FORM			
Structure:12µ PET Corona Treated + 80µ White Opaque Polyethylene			
Measurement & functionality			
SL. No.	Measurements	Standard	Tolerance
1	POUCHWIDTH	110MM	± 2
2	POUCHHEIGHT	160MM	± 2
3	THICKNESS (MICRON)	92 µm	±2
4	GSM	90	
5	SEALING	3 side sealing of width 10 mm (minimum)	
6	PRINTING	Multi colour as per design approved by MU	

DESIGN OF PANEER POUCHES FOR ILLUSTRATION ONLY



